

General Index

A

- Abnormality, pugheadedness, fish, 101-2
- Acartia clausii*, 206
- Acartia longiremis*, 206
- Acartia tonsa*, 206
- Adhesive disk, clingfish, 114, 116, 128, 134
- Age and growth, fish: see black-banded sunfish, black drum, clingfish, sand lance, striped bass, and white perch
- bias, 11, 150-2
- techniques, 11, 85, 148-52
- Aligena elevata*, 91-2
- Alosa aestivalis*, 76-7
- Alosa pseudoharengus*, 76-7
- Alosa sapidissima*, 65, 67-9, 76-7
- American shad
 - catch data (1814-1824), 65, 71
 - catch-effort, 79-80
 - Chapman's Point, 77
 - commercial yield, 65
 - fishery, early history, 76-81
 - movement, 65
 - O₂ tolerance, 65-9
 - petroleum tolerance, 65-71
- Ammodytes americanus*, 49, 51-7
- Ammodytes lancea*, 49
- Ammodytes tobianus*, 49, 57, 59
- Amphitrite ornata*, 91-3
- Amygdalum papyria*, 91-2
- Anaerobic sulfate-reducing bacteria, 207
- Anchoa mitchilli*, 96
- Anchovy, bay, 96
- Aquarium circulation rate, 67
- Apeltes quadracus*, 96, 115
- Aykya affinis*, 103

B

- Bacteria, anaerobic sulfate-reducing, 207
- Bairdiella chrysura*, 97
- Balanus* sp., 101
- Banding and trapping, doves, 45-6
- Bay anchovy, 96
- Barnea truncata*, 91-2
- Behavior, fish
 - clingfish, 130
 - sand lance, 58
 - white perch, spawning, 182
- Benthic invertebrates, 91-3
- Bird-feeding stations, doves, 46
- Biostatistical tests, 155-6, 176
- Arithmetic probability paper analysis, 154
- Chi square, 5, 8
- Coefficient of correlation, 167-9
- Duncan multiple range test, 178
- Linear regression, 12, 31, 86, 116, 136-7, 152, 185, 189
- Sample size estimation, 155
- Significance diagrams, 156, 158, 166
- t*-test, 58, 167-8, 176, 192
- Black-backed gull, great, 102
- Blackbanded sunfish,
 - age and growth, 82, 84-8
 - diet, 86
 - distribution, 82-3
 - length-weight relationship, 87
 - longevity, 86
 - meristic counts, 83-4
 - morphometric data, 83
 - scale aging, 86
 - young, 86
- Blackbird, 198
- Black drum
 - age and growth, 98-9
 - Chesapeake Bay occurrence, 94-7
 - distribution, 97-8
 - larvae, 98-9
 - morphology, 98
 - movements, 99
 - planktonic, 99
 - salinity tolerance, 96-7
 - spawning range, 98-9
 - temperature tolerance, 99
 - young, 94-8
- Blenny, feather, 115, 125-7
- Blenny, striped, 115, 125-6
- Bloodworm, 93
- Book reviews
 - "America's best bay, surf, and shoreline fishing," by H. Ulrich; reviewed by D. G. Cargo, 108
 - "Biological and chemical control of plant and animal pests," edit. by L. P. Reitz; reviewed by D. Lear, 108
 - "Delaware Intrastate Water Resources Survey, 1959," by Delaware Basin Survey Coordinating Committee; reviewed by L. E. Cronin, 107
 - "The ecology of algae," edit. by C. A. Tryon, Jr. and R. T. Hartman; reviewed by Ruth E. Griffith, 107
 - "Freshwater fishes in Mississippi," by Fannye A. Cook; reviewed by R. J. Mansueti, 110
 - "Style manual for biological journals," by Conference of Biological Editors; reviewed by R. J. Mansueti, 106
 - "Water and agriculture," edit. by R. D. Hockensmith; reviewed by J. S. Larson, 108
 - "Wild animals of North America," edit. by A. R. Kellogg and M. Severy; reviewed by R. J. Mansueti, 109
- Bowman, T. E. The copepod genus

Acartia in Chesapeake Bay, 206-7

- Bownet, 147, 149, 159-60
- Brown bullhead, 96
- Bullhead, brown, 96

C

- Cargo, D. G., book reviewer of "America's best bay, surf, and shoreline fishing," by H. Ulrich, 108
- Carp, 199
- Castagna, M. (with H. D. Hoese and C. E. Richards), Appearance of the gag, *Mycteroperca microlepis*, in coastal waters of Virginia, 104-5
- Centropyzis aculeata*, 87
- Cerebratulus* sp., 91-2
- Chapman's Point, Maryland, 77
- Character index, fish, 177-8
- Chasmodes bosquianus*, 115, 119, 125
- Chesapeake Biological Laboratory pier, description, 114, 145, 154
- Chesapeake and Delaware Canal, 4-6, 23
- Chincoteague Bay, 104-5
- Chironomids, 86-7
- Choptank River, 24, 28
- Circulation rate, aquarium, 62
- Clam dredge, hydraulic, 89
- Clam, stout razor, 93
- Clam, soft-shelled, 89-91
- Clarke-Bumpus, plankton sampler, 51-2
- Clearing and staining, clingfish, 131
- Clingfish,
 - ability to change color, 129
 - adhesive disk, 114, 116, 128, 134
 - adult description, 129
 - age and growth, 138-9
 - behavior, 130
 - clearing and staining, 131
 - diet, 131
 - distribution, 113
 - ecological similar species, 115, 119
 - egg,
 - asphyxiation, 124
 - description, 119-24
 - mortality, 124
 - production, laying, 117-8
 - embryology, 116-23
 - hatching size, 121-6
 - holding box, 115
 - incubation period, 117-24
 - larval mortality, 127
 - larval movement, 127
 - meristic counts, 125-6, 133-6
 - morphometric data, 116, 119-20, 122-5, 130, 133-7

- Clingfish—*Continued*
 myotomes, 125, 134
 osteology, 131-6
 pigmentation, 121-9
 sex identification, 118
 spawning season, 116
 staining, alizarin Red S, 125, 131, 134
 teeth, 136
 vertebral count, 136
 young, description of, 127-8, 139
Clupea harengus, 102
Claymenella torquata, 91-2
 Continental shelf,
 cruises, 49-50
 plankton surveys, 49-50
 Conversion factors (see under fish)
 Copepod, 206
 Chesapeake Bay occurrence, 206-7
 seasonal distribution, 206-7
Crassostrea virginica, 91-2, 115
Crepidula conveza, 91
Crepidula fornicata, 91-2
 Cronin, L. E., book reviewer of
 "Delaware Intrastate Water Resources Survey, 1959," by Delaware Basin Survey Coordinating Committee, 107
 Culture mediums, 45 (see also: medium)
 Cumberland turtle, 101
Cyclops quadricornis, 87
Cynoscion regalis, 97
Cyprinodon variegatus, 96
Cyprinus carpio, 199
Cyrtopleura costata, 91, 92
- D**
- Dall sheep, 198
Desulfovibrio, 207-8
 Delaware River and Bay, 94-7
 Diamond's trichomonad medium,
 dove, 45
 Diatoms, 208
Diopatra cupræa, 91-2
Diopatra sp., 92
 Dipnet, bank, 147, 149, 159-60, 186
Doliolum denticulatum, 60
Doliolum gegenbaui var. *tritonis*, 60
Doliolum nationalis, 60-3
 Dove, mourning
 bird-feeding stations, 46
 Diamond's trichomonad medium, 45
 infection in, 45-8
 LBSS medium, 45
 mortality, 45-48
 ovo-mucoid culture medium, 45
 trapping and banding, 45-6
 trichomonad infection, 45-8
 Dredge, hydraulic clam, 89
 Dredge, oyster, 39
 Drum, black (see black drum)
 Duck, ruddy, 103
 Dutcher, B. L. (with F. J. Schwartz) A record of the Mississippi map turtle, *Graptemys kohli*, in Maryland, 100-1
- E**
- Eastern spiny softshell turtle, 101
 Echo traces, sand lance, 50
 Egg asphyxiation, clingfish, 124
 Electrocardiogram, toadfish, 73
 Elk River, 13, 23, 27, 31, 94, 96
 Embryology, clingfish, 116-23
Enneacanthus chaetodon chaetodon, 82-7
 (see blackbanded sunfish)
Enneacanthus elizabethae, 82, 84, 87
Ensis directus, 91-2
 Estuary, Patuxent,
 Carrying capacity, 187
 dynamic medium, 187
 ecology of, 165-6, 187
 production in, 165-6, 187, 191
Etheostoma (= *Hololepis*) *fusi-*
 forme, 82
Eupleura caudata, 91-2
 Explosions, fish mortality, 154, 159-60
- F**
- False map turtle, 101
 Feather blenny, 115, 125-7
 egg description, 119
 Feeding stations, doves, 46
 Fish
 ability to change color, 129
 abnormality, pugheadedness, 101-2
 adhesive disk, 114, 116, 128, 134
 age and growth (see under: blackbanded sunfish, black drum, clingfish, sand lance, striped bass, white perch)
 aging by scale (see under: blackbanded sunfish, striped bass, white perch)
 behavior, clingfish, 130
 white perch, 182
 body length-scale length relationship, 12, 152-3
 character index, white perch, 177-8
 clearing and staining, clingfish, 131
 commercial catch, white perch, 144, 169
 compensatory growth, 17
 conversion factors, fish lengths, 147
 day-night variation, sand lance, 52-4, 57
 diet, blackbanded sunfish, 86
 diet, clingfish, 131
 distribution, (see under: blackbanded sunfish, black drum, sand lance, white perch)
 drugs, effects of, 72-4
 Duncan multiple range test, white perch, 178
 echo traces, sand lance, 50
 egg asphyxiation, 124
 eggs, clingfish, 119-24
 electrocardiogram, toadfish, 73
 embryology, clingfish, 116-23
 explosions, 154, 159-60
 gonad stages, 179-80
 gear, sampling
 bownet, 147, 149, 159-60
 dipnet, bank, 147, 149, 159-60, 186
 fyke net, 5, 39, 147, 149, 159-60
 gillnets, 4-5, 10, 13, 16-7, 24, 38, 39, 80, 149, 159-60, 170, 186, 209-11
 haul seining, 4-5, 38-9, 77-80, 147, 149, 158-9, 166, 169-70, 210
 hook and line, 5, 19, 39, 147, 149, 159-60, 191, 210
 pound net, 5, 19, 39, 80, 144, 147, 149, 159, 210
 trawl, otter, 4, 38, 149
 gear selectivity,
 striped bass, 16-7, 24
 white perch, 148, 157-9, 162, 174, 184, 195
 hatching, size, clingfish, 121, 123-6
 feather blenny, 126
 green goby, 126
 naked goby, 126
 seaboard goby, 126
 striped blenny, 126
 incubation period, clingfish, 117-24
 larval movement, 51, 127
 Lee's phenomenon, 12-3, 162
 Liebig's law of the minimum, 190
 life table, white perch, 186-7, 197-9
 live box, holding, 115, 147-8
 management, 1, 9, 33-4, 199, 200
 measurements, 116, 145, 148
 meristic counts (see under: blackbanded sunfish, clingfish, sand lance, white perch)
 migration and movement (see under: American shad, black drum, striped bass, white perch)
 morphometric data (see under: blackbanded sunfish, clingfish, sand lance, striped bass, white perch)
 mortality, 69-70, 99, 183-7, 195-7, 154, 159, 160
 osteology, 131-6
 physiology,
 American shad, 67-70
 toadfish, 72-5
 pigmentation, 121-9
 population density, white perch, 164-6, 169, 187-8, 190
 postlarvae, 98-9, 125
 pugheadedness, striped bass, 101-2
 reproduction, (see also spawning)
 black drum, 98-9

sand lance, 55-6
 white perch, 178-9, 192-5
 samplers
 Clarke-Bumpus, 50-2
 Gulf III, 51-3
 meter nets, 51-3
 sampling, 4-5, 19, 38-9, 77-9,
 115, 139, 144-7
 day-night variation, 52-4, 57
 gear, 144-7
 meter net, 51-3
 plankton, 50-3
 scale sampling (see under:
 blackbanded sunfish, striped
 bass, white perch)
 sex identification,
 clingfish, 118
 striped bass, 10
 white perch, 179
 shad fishery, 76-81
 shrinkage in, 145
 size-distance traveled relation-
 ship, striped bass, 31-2
 spawning,
 black drum, 98-9
 clingfish, 116
 striped bass, 20-4, 30
 white perch, 180-3, 191
 spawning range, black drum,
 98-9
 staining, 125, 131, 134
 subpopulations, fish,
 striped bass, 19, 21, 37
 white perch, 147, 175, 176, 191
 swimbladder inflation, 211-2
 tagging and tag types, selection,
 site of release and recovery
 and reward (see under
 striped bass, white perch)
 tolerances (see under oxygen,
 petroleum, salinity)
 teeth, clingfish, 136
 toxicity, petroleum, 65-71
 vertebral counts, clingfish, 136
 vertical distribution, sand lance,
 51-4
 winter distribution, fish, 172-3,
 191, 211-2
 year-class fluctuation, 16, 156,
 162-4, 166-70, 188-91
 Fishery, shad, 76-81
 Food habits, fish, 86, 131
 Fourspine stickleback, 115
 Frisbie, C. M. Young black drum,
 Pogonia cromis, in tidal
 fresh and brackish waters,
 especially in the Chesapeake
 and Delaware areas,
 94-100
Fundulus heteroclitus, 97
 Fyke nets, 5, 39, 147, 149, 159-60

G

Gag, 104-5
 Gear, fishing (see under fish)
 Gear selectivity, 16-7, 24, 148,
 157-9, 162, 174, 184, 195
Gemma gemma, 91
Geoclemmys reevesi, 101
 Gillnets, 4-5, 10, 13, 16-17, 24,

38-9, 80, 149, 158-60, 170,
 186
Glaucoma-like ciliate, 124
Glycera dibranchiata, 91-3
Glycera sp., 91
Gobiosox strumosus, 113-41 (see
 clingfish)
Gobiosoma sp., 97
Gobiosoma bosci, 115, 119
Gobiosoma ginsburgi, 115, 119
 Goby, green, 115, 125-7
 Goby, naked, 115, 125-6
 Goby, seaboard, 115, 125-6
 Gonad stages, white perch, 179-80
 Gonozooid generation, tunicates,
 61-8
Graptomys geographica, 101
Graptomys kohni, 100-1
Graptomys pseudogeographica, 101
Graptomys versa, 101
 Great black-backed gull, 102
 Green goby, 115, 125-7
 Grebe, horned, 103
 Griffith, Ruth E., book reviewer
 of "The ecology of algae,"
 edit. by C. A. Tryon, Jr.
 and R. T. Hartman, 107
 Gulf III sampler, 51-3
 Gull, great black-backed, 102
 Gull, herring, 102-3, 198, 212

H

Haul seining, 4-5, 38-9, 77-80, 147,
 149, 158-9, 166, 169-70
 Herman, C. M. (with L. N. Locke)
 Trichomonad infection in
 mourning doves, *Zenaidura*
 macroura, in Maryland, 45-8
 Herring, river, 76-9
 Herring gull, 102-3, 198, 212
 Hoese, H. D. (with C. E. Richards
 and M. Castagna), Appearance
 of the gag, *Mycteroperca*
 microlepis, in coastal
 waters of Virginia, 104-5
 Hook and line fishing, 5, 19, 39,
 147, 149, 159-60, 191
 Holding box, fish, 115
 Horned grebe, 103
 Hydrographic and meteorological
 data, Patuxent River, 154-5
 Hydraulic clam dredge, 89
Hypsoblennius hentz, 115, 119, 125,
 127

I

Ictalurus nebulosus, 96
 Invertebrates, benthic, 91-3
 distribution, 93
 ecology, 92-3
 numbers of, 91-3
 populations, 89-93
 sampling, 89-90
 Somerset County, 90
 Tidewater, 89-90
 Iron determination, Chesapeake
 Bay, 207-9

J

James River, 4-5, 30, 37-42
 Jaw tag, fish, striped bass, 3-4,
 6-8, 12, 14-5, 24
 Joseph, E. B. (with J. J. Norcross
 and W. H. Massmann) In-
 vestigations of inner conti-
 nental shelf waters off lower
 Chesapeake Bay. Part II.
 Sand lance larvae, *Ammo-
 dytes americanus*, 49-59

K

Kemmerer sampler, water, 207

L

Lance, sand (see under sand lance)
 Lapwing, 198
 Larson, J. S., book reviewer of
 "Water and agriculture,"
 edit. by R. D. Hockensmith,
 108
Larus argentatus, 102
Larus marinus, 102
 LBSS medium, 45
 Lear, D. W., book reviewer of
 "Biological problems in wa-
 ter pollution, transactions
 of the 1959 seminar," edit.
 by C. M. Tarzwell, 108
 Lear, D. W. (with M. Sananman)
 Iron in Chesapeake Bay
 waters, 207-9
 Lee's phenomenon, striped bass,
 12-3, 162
Leiostomus xanthurus, 97, 218
Lepomis sp., 96
Leposynapta inhaerens, 91-3
Lerneaeenicus sp., 216
 Lesser scaup, 103
 Lewis, R. M. Comparison of three
 tags on striped bass in the
 Chesapeake Bay area, 3-8
Laevicardium mortoni, 91-2
 Liebig's law of the minimum, 190
 Life table, white perch, 186-7,
 197-9
 Live box, fish, 115, 147-8
 Locke, L. N. and C. M. Herman.
 Trichomonad infection in
 mourning doves, *Zenaidura*
 macroura, in Maryland, 45-8
Lucania parva, 216
 Lyman, H. A sixteen pound pug-
 headed striped bass from
 Massachusetts, 101-2
Lyonsia hyalina, 91-2

M

Macoma balthica, 91-2
Macoma phenax, 91
 Management, fish, 1, 9, 33-4, 199-
 200
 Mansueti, R. J. Age, growth, and
 movements of the striped
 bass, *Roccus saxatilis*, taken
 in size selective fishing gear
 in Maryland, 9-36

- Mansueti, R. J. Waterfowl predation by and records of the great blackbacked gull in Chesapeake Bay during winter and spring, 102-4
- Mansueti, R. J. Movements, reproduction, and mortality of the white perch, *Roccus americanus*, in the Patuxent estuary, Maryland, 142-205
- Mansueti, R. J., book reviewer of "Style manual for biological journals," by Conference of Biological Editors, 106
- Mansueti, R. J., book reviewer of "Wild animals of North America," edit. by A. R. Kellogg and M. Severy, 109
- Mansueti, R. J., book reviewer of "Freshwater fishes in Mississippi," by Fannye A. Cook, 110
- Mansueti, R. J. (with G. J. Murphy) Further returns of striped bass, *Roccus saxatilis*, tagged from deep water during winter in Chesapeake Bay, Maryland, 209-12
- Map turtle, 100
- Map turtle, false, 101
- Map turtle, Mississippi, 101
- Massmann, W. H., A Potomac River shad fishery, 1814-1824, 76-81
- Massmann, W. H. (with J. J. Norcross and E. B. Joseph) Investigations of inner continental shelf waters off lower Chesapeake Bay. Part II. Sand lance larvae, *Ammodytes americanus*, 49-59
- Massmann, W. H. (with A. L. Pacheco) Movements of striped bass tagged in Virginia waters of Chesapeake Bay, 37-44
- Mattaponi River, 37, 97
- Menidia beryllina*, 96
- Menidia sp.*, 216
- Mercenaria mercenaria*, 91-2
- Meristic counts, fish, see under: clingfish, blackbanded sunfish, sand lance, white perch
- Meter net sampling, 51-3
- Microciona sp.*, 91-2
- Microgobius thalassinus*, 115, 119, 127
- Micropogon undulatus*, 97
- Micro-Winkler method, oxygen sampling, 66
- Migration, fish, 17-33, 39-43, 170-5, 191-2, 210-2
- Minnow, sheepshead, 96
- Mississippi map turtle, 101
- Molgula manhattensis*, 91-2
- Morphometric data, 11-3, 16-24, 116, 119-20, 122-5, 130, 133-7
- Mortality, dove, 45-48
- fish, 69-70, 99, 183-7, 195-7
- Movements, fish, 17-33, 39-43, 57-8, 65, 99, 170-5, 191-2, 210-2
- Movement, young fish, 96-9, 127
- Mud snail, 93
- Mulinia lateralis*, 91-2
- Mummichog, 96
- Murphy, G. J. (with R. J. Mansueti) Further returns of striped bass, *Roccus saxatilis*, tagged from deep water during winter in Chesapeake Bay, Maryland, 209-12
- Mya arenaria*, 89, 91-2
- Mycteroperca microlepis*, 104-5
- N**
- Naked goby, 115, 119, 125-6
- Nassarius obsoletus*, 91-3
- Nassarius vibex*, 91-3
- Neanthes succinea*, 91
- Norcross, J. J. (with W. H. Massmann and E. B. Joseph), Investigations of inner continental shelf waters off lower Chesapeake Bay. Part II. Sand lance larvae, *Ammodytes americanus*, 49-59
- Northeast River, 102-3
- Northern pipefish, 115
- Notropis hudsonius amarus*, 96
- Nylon streamer tag, fish, 3-8, 12, 14-15, 24, 31, 38
- O**
- Oozoid generation, tunicates, 61-3
- Opsanus tau*, 72-3, 135
- Ornate worm, 93
- Osteology, fish, 131-6
- Otter trawl, 4, 38-9
- Ovo-mucoid culture medium, 45
- Oyster bars, 114, 116
- Oyster dredge, 39
- Oyster survivorship curve, 198
- Oxygen content, 65
- Oxygen sampling, micro-Winkler, 66
- Oxygen tolerance, American shad, 66-9
- Oxyura jamaicensis*, 103
- P**
- Pacheco, A. L. (with W. H. Massmann), Movements of striped bass tagged in Virginia waters of Chesapeake Bay, 37-44
- Palaeomonetes*, 131
- Polymodal frequency distribution, fish, 154
- Pamunkey River, 37, 97
- Paralichthys dentatus*, 50
- Pathology, birds, 45-7
- Patuxent River, 24, 28, 100, 113, 115, 143-8, 150-5, 159-60, 162-74, 176-84, 187-96, 199, 207-8
- Patuxent River estuary, description, 144-7, 167
- Patuxent River, hydrographic and meteorological data, 154-5
- Patuxent River white perch population, 147, 175-6, 191
- Patuxent River
- Zones, ecological, white perch study, 145-50, 169-71, 173-7, 179, 181-2
- Pectinaria gouldi*, 91-2
- Perch, white (see white perch)
- Petersen disk tag, fish, 3-8, 12, 14-16, 24, 31, 38, 145
- Petricola pholidiformis*, 91-2
- Petroleum tolerance, American shad, 65-71
- Petroleum toxicity, American shad, 65-71
- Pfitzenmeyer, H. T., Benthic shoal water invertebrates from Tidewaters of Somerset County, Maryland, 89-94
- Phorozooid stage, tunicates, 60-3
- Physiology
- American shad, 67-70
- toadfish, 72-5
- Pista palmata*, 91-3
- Plankton samplers, see under: Clarke-Bumpus, Gulf III, meter nets
- Plankton sampling, 49-52, 55, 60
- Plankton survey, continental shelf, 49-50
- Podiceps auritus*, 103
- Pogonias cromis*, 94-9
- Pollution, effects of, 66-70
- Population density, fish, white perch, 164-6, 169, 187-8, 190
- Potamilla sp.*, 91
- Potomac River, 4, 6, 23, 26, 30-1, 76-7, 79-80
- Pound nets, 5, 19, 39, 80, 144, 147, 149, 159, 210, 217-9
- Predation of waterfowl, 102-4
- Preservation weight-shrinkage values, fish, 145
- Pseudemys s. elegans*, 101
- Pseudemys scripta troosti*, 101
- Pseudochironomus (richardsoni)*, 86
- Pugheadedness, fish, 101-2
- R**
- Rappahannock River, 4-5, 37-42, 97
- Razor clam, stout, 93
- Recaptures of tagged fish, see under striped bass, white perch
- Red-eared turtle, 101
- Reproduction, fish
- clingfish, 116-7
- sand lance, 55-6
- white perch, 178-9, 192-5
- Reward, fish tag, white perch, 147
- Richards, C. E. (with H. D. Hoese and M. Castagna), Appearance of the gag, *Mycteroperca microlepis* in

coastal waters of Virginia, 104-5
 Robin, 198
Roccus americanus, 96, 142-4, 146-7, 149-54, 157-69, 171-6, 178, 180, 182-5, 189, 196 (see white perch)
Roccus saxatilis, 22-30, 32-4, 37-42, 96, 101-2, 1, 3-5, 9, 14, 16-21, 118, 209-11 (see striped bass)
 Rocky Gorge, 144
 Rotifers, 198
 Ruddy duck, 103
 Runyan, Suzanne, Early development of the clingfish, *Gobiosoma strumosus* Cope, 113-41

S

Sabellaria vulgaris, 91
 Salinity, 54-5, 96-7, 101, 168, 191
 Salinity tolerance
 black drum, 96-7
 sand lance, 55
 white perch, 191
 Sampler,
 Clarke-Bumpus, 51-2, 213-4
 Gulf III, 51-3, 213-4
 Kemmerer, water, 207
 meter nets, 51-3, 213-4
 Sample size estimation, white perch, 155
 Sampling,
 day-night variation, 52-4, 57
 invertebrate, 89-91
 oxygen, 66
 plankton-fish, 49-52, 55, 60
 Sananman, M. (with D. W. Lear)
 Iron in Chesapeake Bay waters, 207-9
 Sand lance
 age and growth, 50, 56-7
 day-night sampling variation, 52-57
 larvae, 51-3
 meristics, 51
 morphometric data, 50-1
 reproduction, 55-6
 tolerance, salinity, 55
 vertical distribution, 51-4
 Sandwich tern, 103
Saprolegnia fungus, 124
 Scale sampling, see under: black-banded sunfish, striped bass, white perch
 Schwartz, F. J., Food, age, growth and morphology of the blackbanded sunfish, *Enneacanthus c. chaetodon* in Smithville Pond, Maryland, 82-8
 Schwartz, F. J. (with B. L. Dutcher), A record of the Mississippi map turtle, *Graptemys kohni*, in Maryland, 100-1
Sciaenops ocellata, 96, 99
 Scaup, lesser, 103
 Seaboard goby, 115, 125-6
 Sex identification

 striped bass, 10
 white perch, 179
 Shad, American, see under American shad
 Shearer, L. W., book reviewer of "Biological and chemical control of plant and animal pests," edit. by L. P. Reitz, 111
 Sheep, Dall, 198
 Sheepshead minnow, 96
 Shiner, spottail, 96
 Silverside, tidewater, 96
 Size-distance traveled relationship, fish, striped bass, 31-2
 Skilletfish, 114, see clingfish
 Smithville Pond, Maryland, 82-3
 Snail, mud, 93
 Soft-shelled clam, 89-91
 Softshell turtle, eastern spiny, 101
 Solar radiation, growth factor, fish, 168
 Solomons area, Maryland
 salinity seasonal range, 114
 description, 114-5
 water temperature, seasonal range, 114
 Songthrush, 198
 Spaghetti tag, fish see under striped bass
 Spawning, fish: see black drum, clingfish, white perch
 Spiny softshell turtle, eastern, 101
 Spottail shiner, 96
 Staining,
 alizarin Red S, 125, 131, 134
 Hematoxylin, 61
 toluidine blue, 61
 tunicates, 61
 Starling, 198
 Stickleback, fourspine, 96
 Stout razor clam, 93
 Streamer tag, nylon, fish, 3-8, 12, 14-15, 24, 31, 38
 Striped bass
 abnormality, pugheaded, 101-2
 age and growth, 11-13, 16-8, 20-4
 annual commercial catch, 1, 53-7
 body length-scale length relationship, 12
 commercial value, 1, 53-7
 compensatory growth, 17
 cooperative tagging study, 1-2, 9
 gear selectivity, 16-18
 Lee's Phenomenon, 12-3
 length-weight relationship, 11-3
 migration and movement, 17-9, 21, 23-34, 37-8, 40-2, 210-2
 overwintering, 209-12
 physiology of swimbladder, 212
 pugheadedness, 101-2
 scale sample, 11
 sex identification, 10
 size-distance traveled relationship, 31-2
 stocks, local, 21-2
 subpopulations, 19, 21, 37
 swimbladder inflation, 211-2

 tag, jaw ring, 3-4, 6-8, 12, 14-5, 24
 tag, nylon streamer, 3-8, 12, 14-5, 24, 31, 38
 tag, Petersen disk, 3-8, 12, 14-6, 24, 31, 38, 209
 tag selection, 3-8
 tag, spaghetti, 3
 tagging reward, 4, 12, 209
 tagging, tagging locations, 3-4, 23-9, 37-8, 40, 42, 209, 210-1
 tagging recaptures, 4-5, 12, 17-9, 24-30, 40-1, 209-11
 winter distribution, 211
 Striped blenny, 115, 125-6
Suberites sp., 91-2
 Subpopulations
 striped bass, 19, 21, 37
 white perch, 147, 175-6, 191
 Sunfish, blackbanded, see under blackbanded sunfish
 Swimbladder inflation, fish, 211-2
Syngnathus fuscus, 115
 Sykes, J. E., The Chesapeake Bay Cooperative striped bass program, 1-2
 Synapta, 92-3

T

Tagatz, M. E., Reduced oxygen tolerance and toxicity of petroleum products to juvenile American shad, 65-71
Tagelus divinus, 91-3
Tagelus plebeius, 91-3
 Tagging, tagging locations, tag recovery, tag reward, tags, tag selection, see under: striped bass and white perch
 Tags, condition and durability, 7-8, 145-6
 Tautog, 127
Tautoga onitis, 127
 Temperature, 54-6, 99, 155
Tendipes sp., 86
 Tern, sandwich, 103
 Terry, R. M., Investigations of inner continental shelf waters off lower Chesapeake Bay. Part III. The phorozooid stage of the tunicate *Doliolum nationalis*, 60-4
Thalasseus sandvicensis, 103
 Tidewater silverside, 96
 Toadfish,
 blood pressure, 74
 drugs effects of, 72-4
 electrocardiogram, 73
 fin ray count, 135
 physiology, 72-5
 Tolerances, see under: oxygen, petroleum, salinity
 Toxicity, petroleum, American shad, 65-71
 Trap nets, fish, 5, 19, 39, 80, 144, 147, 149, 159, 210, 217-9
 Trapping and banding, doves, 45-6
 Trawl, 149
Trichomonas gallinae, 45-7
 Trichomonad infection, dove, 45-8

Tridelfia reservoir, 144
Trionyx ferox spinifera, 101
 Tunicates, 60-3
 gonozooid generation, 61-3
 hermaphroditism, 61
 morphology, 61-3
 oozooid generation, 61-3
 phorozooid stage, 60-3
 staining, 61
 Turtle, Cumberland, 101
 Turtle, eastern spiny softshell, 101
 Turtle, false map, 101
 Turtle, map, 100
 Turtle, Mississippi map, 101
 Turtle, red-eared, 101
 Turtle, softshell, eastern spiny, 101

U

Urosalpinx cinerea, 91-2

V

Vertebral count, elingfish, 136
 Vertical distribution, sand lance, 51-4

W

Waterfowl predation, 102-4
 White perch
 age and growth, 148-54, 156-70, 188
 aging by scale method, 145, 148-50
 bias, 150-2
 crossing-over, 150
 criteria, 156-7
 scale appearance in young, 153
 body length-scale length relationship, 152-3
 character index, 177-8
 conversion factors, fish lengths, 147
 distribution, 143-4
 Duncan multiple range test, 178
 Elk River, 96

explosions, 154, 159-60
 exploitation, 195-6, 199-200
 fecundity, 193
 first year growth relationship
 with commercial catch, 169-70
 density in numbers, 169, 190-1
 growth span, 166
 growing season in days, 169
 population density, 169-70, 190-1
 rainfall, 167
 salinity, 169
 solar radiation, 168
 fishing gear, 149
 bank dip net, 147, 149, 159-60, 186
 bownet, 147, 149, 159-60
 fyke nets, 147, 149, 159-60
 gillnets, anchor, drift, stake, 149, 158-60, 170, 186
 haul seines, 147, 149, 158-9, 166, 169-70
 hook and line, 147, 149, 159-60, 191
 trapnet, 144, 147, 149, 159
 trawl, 149
 gear selectivity, 148, 157-9, 162, 174, 184, 188, 195
 gonad stages, maturation, 179-80
 growth
 compared to out-of-state rates, 195-6
 curves, by sex, 163
 first-year growth, 166-70
 frequency distribution, 157-8
 rate, 157, 162, 164-6
 Lee's Phenomenon, 162
 length-weight relationship, 160-1
 Liebig's Law of the Minimum, 190
 life table, 186-7, 197-9
 longevity, 195
 management, 199-200
 maximum size, 160
 meristic counts, 147, 171-7
 mortality, 183-7, 195-7

movements, 170-4, 191-2
 Chesapeake Bay sample, 170
 ecological zones, Patuxent R., 146-50, 169-71, 173-7, 179, 181-2
 Patuxent population, 175-6
 population density-size relationship, 169
 population density, factors affecting, 164-6, 187-8, 190
 probability of dying (= annual mortality rate), 183-6, 188-90
 reproduction, 178-9, 192-5
 salinity effects, 169, 191
 scales, 148-51
 sex determination, 179
 sexual maturity, 182-3, 194
 sex ratios, 181-2, 194
 size limits, 200
 spawning, season, location, 180-3, 191, 193-4
 stunted, 190
 subpopulations, 147, 191
 tag application and procedure, 147
 tagged fish, distance traveled, 173-4
 tagging, 145, 170
 tagging locations, 172
 tag recapture locations, 170-4
 tag reward, 147
 tag selection, 145
 year class fluctuations, 156, 162-4, 166-70, 197-8
 Wilber, C. G., Some physiological characteristics of the heart of the toadfish, *Opsanus tau*, 72-5

Y

York River, 4-5, 37-42, 50

Z

Zenaidura macroura, 45-6
Zostera marina, 114

CHESAPEAKE SCIENCE

A REGIONAL JOURNAL OF RESEARCH AND PROGRESS ON NATURAL RESOURCES

Volume II, 1961

ROMEO J. MANSUETI

Managing Editor

Published By

Natural Resources Institute of the
University of Maryland
Chesapeake Biological Laboratory
Solomons, Maryland
L. E. Cronin, Director

Table of Contents

NUMBERS 1 AND 2, MARCH-JUNE, 1961

SYKES, JAMES E. The Chesapeake Bay cooperative striped bass program.	1
LEWIS, ROBERT M. Comparison of three tags on striped bass in the Chesapeake Bay area.....	3
MANSUETI, ROMEO J. Age, growth, and movements of the striped bass, <i>Roccus saxatilis</i> , taken in size selective fishing gear in Maryland.....	9
MASSMANN, WILLIAM H. AND ANTHONY L. PACHECO. Movements of striped bass tagged in Virginia waters of Chesapeake Bay.....	37
LOCKE, LOUIS N. AND CARLETON M. HERMAN. Trichomonad infection in mourning doves, <i>Zenaidura macroura</i> , in Maryland.....	45
NORCROSS, JOHN J., WILLIAM H. MASSMANN, AND EDWIN B. JOSEPH. Investigations of inner continental shelf waters off lower Chesapeake Bay. Part II. Sand lance larvae, <i>Ammodytes americanus</i>	49
TERRY, ROBERT M. Investigations of inner continental shelf waters off lower Chesapeake Bay. Part III. The phorozoid stage of the tunicate, <i>Doliolum nationalis</i>	60
TAGATZ, MARLIN E. Reduced oxygen tolerance and toxicity of petroleum products to juvenile American shad.....	65
WILBER, CHARLES G. Some physiological characteristics of the heart of the toadfish, <i>Opsanus tau</i>	72
MASSMANN, WILLIAM H. A Potomac River shad fishery, 1814-1824.....	76
SCHWARTZ, FRANK J. Food age, growth, and morphology of the black-banded sunfish, <i>Enneacanthus chaetodon chaetodon</i> , in Smithville Pond, Maryland.....	82

Notes and Comments

PFITZENMEYER, HAYES T. Benthic shoal water invertebrates from tide-waters of Somerset County, Maryland.....	89
FRISBIE, CHARLES M. Young black drum, <i>Pogonias cromis</i> , in tidal fresh and brackish waters, especially in the Chesapeake and Delaware Bay Areas.....	94
SCHWARTZ, FRANK J. AND BENJAMIN L. DUTCHER. A record of the Mississippi map turtle, <i>Graptemys kohli</i> , in Maryland.....	100
LYMAN, HENRY. A sixteen pound pugheaded striped bass from Massachusetts.....	101
MANSUETI, ROMEO J. Waterfowl predation by and records of the great black-backed gull in Chesapeake Bay during winter and spring.....	102
HOESE, H. D., C. E. RICHARDS, AND M. CASTAGNA. Appearance of the gag, <i>Mycteroperca microlepis</i> , in coastal waters of Virginia.....	104

Book Reviews

<i>Style Manual for Biological Journals</i> . (by Conference of Biological Editors). Romeo J. Mansueti.....	106
---	-----

TABLE OF CONTENTS

iii

<i>Delaware Intrastate Water Resources Survey, 1959.</i> (by Delaware Basin Survey Coordinating Committee). L. Eugene Cronin.....	107
<i>The Ecology of Algae.</i> (by C. A. Tryon, Jr. and R. T. Hartman, Editors). Ruth E. Griffith.....	107
<i>America's Best Bay, Surf, and Shoreline Fishing.</i> (by Heinz Ulrich). D. G. Cargo.....	108
<i>Biological Problems in Water Pollution, Transactions of the 1959 Seminar.</i> (Edited by C. M. Tarzwell). Donald Lear.....	108
<i>Water and Agriculture.</i> (Edited by Roy D. Hockensmith). Joseph S. Larson.....	108
<i>Wild Animals of North America.</i> (Edited by A. Remington Kellogg and Merle Severy). Romeo J. Mansueti.....	109
<i>Freshwater Fishes in Mississippi.</i> (by Fannye A. Cook). Romeo J. Mansueti.....	110
<i>Biological and Chemical Control of Plant and Animal Pests.</i> (Edited by L. P. Reitz). L. W. Shearer.....	111
NUMBERS 3 AND 4, SEPTEMBER-DECEMBER, 1961	
RUNYAN, SUZANNE. Early development of the clingfish, <i>Gobiesox strumosus</i> Cope.....	113
MANSUETI, ROMEO J. Movements, reproduction, and mortality of the white perch, <i>Roccus americanus</i> , in the Patuxent estuary, Maryland...	142
Notes and Comments	
BOWMAN, THOMAS E. The copepod genus <i>Acartia</i> in Chesapeake Bay..	206
SANANMAN, MICHAEL AND DONALD W. LEAR. Iron in Chesapeake Bay waters.....	207
MANSUETI, ROMEO J. AND GEORGE J. MURPHY. Further returns of striped bass, <i>Roccus saxatilis</i> , tagged from deep water in winter in Chesapeake Bay, Maryland.....	209
Index.....	213